FILED: MAY 09, 2024 09:51 AM OREGON SECRETARY OF STATE



UCC

NO. 93864147 SHOWPLACE LANDSCAPE

UCC FINANCING STATEMENT

FOLLOW INSTRUCTIONS			
A. NAME & PHONE OF CONTACT AT SUBMITTER (optional) (800) 826-5256 UCC Division			
B. E-MAIL CONTACT AT SUBMITTER (optional)		•	
ucc@ncscredit.com OR SOS			
C. SEND ACKNOWLEDGMENT TO: (Name and Address)			
1a ORGANIZATION'S NAME	THE ABOVE SPA		
16. MAILING ADDRESS			
PO Box 746	Wilsonville	OR 97070	USA
2. DEBTOR'S NAME: Provide only gns Debtor name (2a or 2b) (use exact, full name	Marine and the acceptance of the control of the con	and the same of th	
	ie Individual Debtor information in item 10 of the Financir		mmqaammaammaan SUFFIX
EU. HOURDONES GONNINIE	FIRST FERSONAL NAME	ADDITIONAL INAME(O)/MICHAE(O)	BUFFIX
26 MAULING ADDRESS	CITY	STATE POSTAL CODE	COUNTRY
3. SECURED PARTY'S NAME (or NAME or ASSIGNEE or ASSIGNOR SECURE	D PARTY): Provide only one Secured Party name (3:	a or 3h)	
33. ORGANIZATION'S NAME			
SiteOne Landscape Supply, LLC	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
SULTIMENTICALS SURVAINE	PIRAT PERAGNAC NAME	NOOTH STANCE TAXABLE (S) MATTINE (S)	SOFFIX
3c. MAILING ADDRESS	CITY	STATE POSTAL GODE	COUNTRY
1425 N. McDowell Blvd. Suite 125	Petaluma	CA 94954	USA
4. COLLATERAL: This financing statement covers the tollowing collaters! Consignor shall deliver and maintain a and/or lighting equipment and materials business or warehousing facilities of Coneeded basis. Consignee hereby conveys and assigns to the Consignor the Collat performance of all debts, liabilities at and however incurred to Consignor. All consigned or delivered, directly or ind Consignor, whether now existing or here limitation the attached Exhibit "A"; and Please see attached Addendum & Form(s)	(hereinafter the "Goods onsignee to be purchased and grants to Consignor eral described below to nd obligations of Consiginventory, and other goo irectly, to or for the bafter acquired, or arisidall products and whate	") at the place of by Consignee on a security interessecure payment and nee of any kind which whenever sold, enefit of Consignent, including with ever may be received.	tan as tin
5. Check only if applicable and check only one box: Collateral in hald in a Trust (s	see UCC1Ad, Item 17 and Instructions)	administered by a Decedent's Persona	I Representative
S. Check only if applicable and check only one box: Collateral is held in a Trust (s Ga. Check only if applicable and check only one box:		heck only if applicable and check only o	
Public-Finance Transaction Manufactured-Home Transaction	A Debtor is a Transmitting Utility	Agricultural Lien Non-UCC	
	Consignee/Consignor Seller/Buyer	Barlee/Bailor Lice	nsee/Licensor
8. OPTIONAL FILER REFERENCE DATA:			

UCC# U354984

UCC FINANCING	STATEMENT	ADDEND	UM
COLL OWN METER LOTIONIA			

- CLEON HO HOO HOND		•			
NAME OF FIRST DEBTOR: Same as line 1s or 1b on Financing Statement; if line because Individual Debtor name did not fit, check here	e 16 was left blank				
% ORGANIZATIONS NAME Showplace Landscape Services, I	inc.				
onowprace Dandscape Services, I					
OR SE INDIVIDUAL'S SURNAME					
FIRST PERSONAL NAME					
ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX				
10. DEBTOR'S NAME: Provide (10a or 10b) only one additional Debtor name or De				S FOR FILING OFFICE U ent (Form UCC1) (use exact, for	
do not omit, modify, or abbreviate any part of the Debtor's name) and enter the mailir	ng address in line 10c				
OR					
TOP INDIVIDUAL'S SURNAME	•				
INDIVIDUAL'S PIRST PERSONAL NAME					100
INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)			•		SUFFIX
10c MAII ING ADDRESS	СІТҮ		STATE	FOSTAL CODE	CÖÜNTRY
	OR SECURED PARTY'S	NAME: Provide onl	y <u>one</u> nam	e (11e or 11h)	<u> </u>
11a ORGANIZATION'S NAME					
OR 116. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME		ABDITIO	NÁĽ NAME(S)/MITIAL(Š)	SUFFIX
THE MAILING ADDRESS	CITY		STATE	POSTAL CODE	COUNTRY
12. ADDITIONAL SPACE FOR (TEM 4 (Collectal). The sale, exchange, collection or other in whatever form, and whether original limitation all trade-ins, accounts (increcords, equipment, inventory, intellectation in the collectation of loss or damage to the Collate the Goods shall be vested in Consignor	collateral or luding contrac tual property, eposits and al ral); and all	proceeds, t rights), chattel p l insuranc records of	incluinstaper, e pro	ding without ruments, books general sceeds payable foregoing. Ti	s and by tle to
13. This FINANCING STATEMENT is to be filed (for record) (or recorded) in the REAL ESTATE RECORDS (if applicable)	14, This FINANCING STATES	,			
15. Name and address of a RECORD OWNER of real estate described in item 18	16. Description of real estate:	ut Covers as-e	xtracted c	ollateral ra tiled as a 10	xuire fling
(if Debtor does not have a record interest):					
		• •			
·					
17. MISCELLANEOUS:					

Próduct Line	Item Number
TCHR	SCA18
IMPL	TA-CTN-3-1000
IMPL	20-652
HIII	9071
RB	TBOSPSOL
HUNT	NODE100
HUNT	NODE200
HUNT	NODE400
HUNT	XC400
LASC	3201-004
LASC	3300-005
нт	нбет
RB	23548501
VALV	SV-050
RB	RB-SBCPLG-SPEC
RB	SRIEE
HUNT	PGV10IG
HUNT	PGV151
RB	100DVF
RB	150PGA
RB	and the contract of the contra
	200PGA
RB	3504PG
HUNT	PG]04
HUNT	PGP04
HUNT	PGPAD3
HUNT	12004
SPRS	407-101
SPRS	407-130
SPRS	417-005
SPRS	409-005
SPRS	
- Communication of	402-005
SPRS	429-005
SPRS	447-005
SPRS	407-005
SPRS	436-005
SPRS	405-007
SPRS	4014007
SPRS	417-007
SPRS	429-007
SPRS	447-007
SPRS	436-007
SPRS	406-010
SPRS	401-010
SPRS	447-010
SPRS	436-010
SPRS	409-007
SPRS	409-010
	70 m 7 m m 1 m 7 m 7 m 1 m 1 m 1 m 1 m 1 m
SPRS	4094017
SPRS	409-015
SPRS	409-020
SPRS	402-130
SPRS	402-101
SPRS	401-020

SPRS	406-020
SPRS	429-020
SPRS	417-020
Contract of the Contract of th	
SPRS	436-020
SPRS	401-025
SPRS	406-025
SPRS	429-025
SPRS	417-025
SPRS	10.30.000.00.000.000.000.000.000.000.00
and the second second second	436-025
NDS	NDS118-10
NDS	NDS118-12
NDS	NDS118-15
NDS	NDS118-20
RB	SPXFLEX100
SPRS	MS412-005
SPRS	1413-073
PROM	PT-WCZ-BLBL-100
SPRS	MS412-007
MISI	PVCL-SFX-075
MISI	Marie State Control of the Control o
	PVCL:429-007
MISI	PVCL-SFX-100
MISI	PVCL:429-010
MISI	PVCL-406-010
MISI	PVCE-406-007
DAWN	KRC429-007
ya ya jara Manasi wa 1995 ya 1997. -	
DAWN	KRC429-010
DAWN	(KR)G4729E05E2
DAWN	KRC429-015
RBD	MDCFCOUP
HUNT	PROS06PRS40
HUNT	PROS04PRS40
*	
RBD	MDCFIEE
HUND	HDLBUNK100
IMPL	5LE24
IMPL	86021
IMPL	WHITEFLAG
IMPL///	PINKGLOFLAG
IMPL	YELLOWERAG
·	
GLUE	PRIM758-020
GLUE	PVC258-020
GLUE	GM-150
GLUE	PRIM21-68P-020
GLUE	PVC218-020
ennanger server ser	Company of the second s
IMPL	AU3522
IMBR	A03908
RBD	PFR12
RBD	RS-025F
RBD	XBF1CONN
RBD	XBF3TEE-RB
Commence of the Commence of th	
RBD	XBF2Et
RBD	XS090
RBD	XS-180
RBD	XS360
RBD	DBC-025
RBD	
and the state of t	IUXB360

HUND	HDL0912250CV
	HDL0918250CV
SALC	PVC-250-170-100
AGR P	A700100SH-NLA
	5111-1-1-005-1-1-1-1-1-1-1-1-1-1-1-1-1-1
AGRE	SFJR-BL-06-01
RBD	X8Z0PC
RBD	PC-05
NDS	RA250
CARS	174501
CARS	174030
CARS:	181015
CARS	181104
CARS	182013
CARS	187404
CARS	170102
CARS	170103
RB	R8Q
RB	R8H
RB	R8F
RB	R100
RB	RIOH
RB	RIOF
RB	RIZQ
RB	RIZH
RB	R12E
RB	R15Q
RB	R15H
RB	R15F
RB	RU10Q
RB	RU10H
RB	RUIDE
RB	RU12O
RB	RU1ZH
RB	RU12F
RB/	RU15Q
RB	RU15H
RB .	RU15F
RB	R155ST
RB	R156ST
HUNT	MP100090
HUNT	MP1000Z10
HUNT	MP1000350
HUNT	MP200090
	Secretary and the second secon
HUNT	MP2000230
HUNT	MP2000360
HUNT	MP300090
HUNT	MP3000210
TAUH	MR3000360
HUNT	MPSS530
HUNT	MPLCS515
HUNT	MPRCS515
TORO	0-8-0
TORO	COLUMN CONTRACTOR CONT
TORO	0-8-F

TORO	0-10-T
TORO	0-10-0
TORO	O-10-H
TORO	0-10-F
TORO	D-4X30-SST
TORO	0-4X18-SST
TORO	0-12-1
TORO	O-12-Q
TORO	O-12-H
TORO .	0-12-F
TÖRÖ	0-15-T
TORO	0-15-Q
TORO	O-15-H
HUNT	HBT
HUNT	Harr
HUNT	H12T

Description
18 in. TRAFFIC SAFETY CONE GLO ORANGE
T. Christy Caution: Tage 4 mil yellow 3 in, x 1000 ft.
Seymour STRIPE Inverted Tip Marking Paint Waterbase White 20 oz.
Hit 900T Series Telescoping Spray Body 7 in Pop Up
Rain Bird TBOS 9V Potted Latching Solenoid
Hugger NODE Outdoor Controller 1 Station with DC Earching Solenoid Battery Powered:
Hunter NODE Outdoor Controller 2 Station Battery Powered
Hunter NODE Outdoor Controller: 4 Station Battery Powered
Hunter Controller X-Core Fixed Outdoor 4 Station
Blue Twister Coupling 1/2 In: Double Helix
Blue Twister 90 Degree Elbow 1/2 in. MIPT x Double Helix
Hit Products Power Cord/Pigtail (6-ft.) 16/3 with 3 Prong Angle Plug
Rain Bird Diaphragm Assembly and Bonnet Assembly for 200PESB Valve 2 in.
Aquatine Straight Valve Brass 1/2 In:
Rain Bird Spiral Barb Coupler 1/2 in. Barb
Rain Bird Spiral Barb Tee 1/2 in Barb
Hunter PGV Globe Valve Plastic 1 in. w/ Flow Control FIPT x FIPT
Hunter PGV Globe/Angle Valve Plastic 1-1/2 in. w/ Flow Control FIPT x FIPT
Rain Bird DVF Globe Valve Plastic 1 in. w/ Flow Control FIPT x FIPT
Rain Bird PGA PVC and Glass-Filled Nylon Globe/Angle Valve 1-1/2 in FIPT
Rain Bird PGA PVC and Glass-Filled Nylon Globe/Angle Valve 2 in. FIPT
Rain Bird 3504 Part Circle Rotor 4 jr. Riser
Hunter PGJ Adjustable Rotor 4 in. Riser
Hunter PGP Litra Adjustable Rotor 4 in. Riser
Hunter PGP-ADJ Adjustable Rotor 4 in. Riser
Hunter I-20 Adjustable Rotor 4 in Riser with Check Valve
Sch 40 PVC 90 Degree Reducing Elbow 3/4 in. x 1/2 in. Socket x FIPT
Sch-40-PVC-90-Degree:Reducing-Bloow-1 in: x:1/2/in:Socket-x:FIPT
Sch 40 PVC 45 Degree Elbow 1/2 in. Socket
Sch 40 PVC 90 Degree Street Elbaw 1/2 in Spigot x Socker
Sch 40 PVC Tee 1/2 in. Socket x 1/2 in. Socket x FIPT
Sch 40 PVC Coupling 1/2 in. Sacket
Sch 40 PVC Cap 1/2 in. Socket
Sch-40 PVC 90 Degree Elbow 1/2 in: Socket x FIPT
Sch 40 PVC Male Adapter 1/2 in. MIPT x Socket
Sch/40 PVC-90 Degree Elbow 3/4 in, Socket
Sch 40 PVC Tee 3/4 in. Socket
Sch 40 PVC 45 Degree Elbow 3/4 in: Socket
Sch 40 PVC Coupling 3/4 in. Socket.
Sch: 40 PVC Cap 3/4 in: Socket
Sch 40 PVC Male Adapter 3/4 in. MIPT x Socket
Sch 40 PVC 90 Degree Elbow 1/m, Socket
Sch 40 PVC Tee 1 in. Socket
Sch 40 PVC Cap 1 in: Socket
Sch 40 PVC Male Adapter 1 in. MIPT x Socket
Sch 40 PVC 90 Degree Street Elbow 3/4 in Spigot x Socket
Sch 40 PVC 90 Degree Street Elbow 1 in. Spigot x Socket
Sch:40 PVC 90 Degree Street Elbow:1≥1/4 In: Socket x Spigot
Sch 40 PVC 90 Degree Street Elbow 1-1/2 in. Spigot x Socket
Sch 40 PVC 90 Degree Street Elbow 2 in Spigot x Socket
Sch 40 PVC Reducing Tee 1 in. x 1/2 in. Socket x FIPT
Sch 40 PVC Reducing Tee 3/4:in: x 1/2:in: Socket x FIPT
Sch 40 PVC Tee 2 in. Socket

Sch 40 PVC:30 Degree: Elbow 2 in: Socket
Sch 40 PVC Coupling 2 in. Socket
Sch 40:PVC 45.Degree Elbow 2:in:Socket
Sch 40 PVC Male Adapter 2 in. MIPT x Socket
Sch-40-PVC-Tee: Z-1/72 in: Socket
Sch 40 PVC 90 Degree Elbow 2-1/2 in. Socket
Sch 40:PVC Coupling 2:1/2 in Socket
Sch 40 PVC 45 Degree Elbow 2-1/2 in. Socket
Sch-40-PVC-Male Adapter 2-1/24n; MIPT x Socket
NDS Pro-Span PVC Expansion Repair Coupling 1 in. Socket x Spigot
NDS Pro Span PVC Expansion Repair Coupling 1-1/4 in Socket x Spigot
NDS Pro-Span PVC Expansion Repair Coupling 1-1/2 in. Socket x Spigot
NDS Pro Span PVC Expansion Repair Coupling 2 in Socket x Spigot
Rain Bird SPX-FLEX Swing Pipe 1/2 in. x 100 ft. (Priced per ft.)
90 Degree Street: Elbow Mariex 1/2 in: MIPT x FIPT Short Pattern
Poly Insert Spiral Barb 90 Degree Combination Elbow 1/2 in. x 3/8 in. MIPT x Spiral Barb
Pro-Trade Imgation/Lighting Wire Connector Blue/Blue: 100: Pc Canister
90 Degree Street Elbow Marlex 3/4 in. MIPT x FIPT Short Pattern
Hydro-Rain:PVC-Lock Stide Repair Fitting 3/4:in: PVC-Lock Coupling 3/4 in. PVCL
HydroRain PVC-Lock Slide Repair Fitting 1 in.
PVC-Lock Coupling 1 in. PVCL
PVC-tock 90 Degree Elbow 1:in: PVCL
PVC-Lock 90 Degree Elbow 3/4 in. PVCL
Dawn KwikRepair PVC Fitting Coupling 3/4 in
Dawn KwikRepair PVC Fitting Coupling 1 in.
Dawn KwikRepair PVC Fitting Coupling 1:1/4-in.
Dawn KwikRepair PVC Fitting Coupling 1-1/2 In.
Rain Bird Easy Fit Compression Coupling:1/2 in:
Hunter Pro-Spray Rotor 6 in. Pop Up w/ PRS40 Pressure Regulator No Side Inlet
Hunter Pro-Spray Rotor 4 in: Pop Up w/, PRS40 Pressure Regulator
Rain Bird Easy Fit Compression Tee 1/2 in.
Hunter HDL Dripline Blank 100 ft.
Duracell Procell 9V Battery
King Innovations PTFE Teflon Thread Seal Tape 3/43n. x 520 In.
SiteOne Marking Flag White 4 in. x 5 in. w/ 21 in. Steel Staff (100/Bundle)
SiteOne Marking Flag Pink Glo 4 in: x 5 in: w/ 21 in: Steel Staff (100/Bundle)
SiteOne Marking Flag Yellow 4 in. x 5 in. w/ 21 in. Steel Staff (100/Bundle)
Spears PRIMER-75 Wet-N-Dry Aqua Blue Primer Low VOC NSF L bt
Spears PVC-25 Wet-N-Dry Aqua Blue PVC Cement Low VOC Medium Body 1 pt.
Spears CM-150 Can Mare Dauber for Pipe 1-1/2 in: to 3 in.
Spears PRIMER21-68 Low VOC Primer Purple NSF 1 pt.
Spears PVC-ZIB Blue PVC Cement Low: VOC Medium Body 1 pt.
Krylon Marking Paint Hot Pink 17 oz.
Krylon Marking Paint/Utility White 17 oz.
Rain Bird Poly-Flex Riser 12 in.
Rain Bird Riex Riser, Stake 5 in . with 1/4 in Barb Inlet and 10-32 Thread Outlet
Rain Bird XB Connector 1/4 in. Barb
Rain Bird XB Tee 1/4 in Barb
Rain Bird XB 90 Degree Elbow 1/4 in. Barb
Rain Bird Xen-Spray Quarter Circle
Rain Bird Xeri-Spray Half Circle
Rain Bird Xen-Spray 360 Degree True Spray
Rain Bird Diffuser Bug Cap
Rain Bird Full Circle Umprella Xeri-Bubbler 10-32 Thread

Rain Bird Xeri-Bug Emitter 1.0 gph Barb Black Hunter HDL Dripline w/, Check Valve 0.9 GPH 12 in 250 ft HUNTER HOL DRIPLINE CV 0.9 GPH 18 in. 250 ft. Salco Micro Distribution Tubing Vinyl 0.170 in 10/0/250 in Ob. 100 ft. (Priced per ft.) NDS A700 1/2 in. Distribution Tubing Polyethylene 0.600 in. ID. 0.700 in. OD. 100 ft. (Priced per ft.) NDS Dura Flo JR 1/4 in: Black Dripline 0:5 gph 5 in: Spacing 100 ft. (Priced per ft.) Rain Bird Xeri-Bug Emitter 2.0 gph Barb Red Rain Bird Pressure Compensating Module 5.0 gph Barb Inler NDS Riser Extension Adapter 1/2 in, FIPT x 1/2 in, MIPT x 1/4 in, Barb Highilne Standard Válve Box Rectangie 11 In. 🗙 16 In. 🗴 12 in. H. Black Box/Green Lid. Ovenápping CV. Closed Mouse Holes Oldcastle Control Valve T-Top Green No Lock Armor Armor Green Lld 10 In. Round Highline Valve Box Round 10 in. Black Box/Green Lid Drop-in CV Highline Universal Econo Valve Box Lid Round 6 in: Green VB Highline Universal Econo Valve Box Round 6 in. Black Box/Green LId VB Highline Standard Valve Box Extension Rectangle 11 in x 16 in x 3 in H Black Highline Standard Valve Box Extension Rectangle 11 in. \times 16 in. \times 6 in.H Black Rain Bird Nozzie Quarter Circle 8 ft. 90 Degree Rain Bird Nozzle 8 ft. Radius Half Circle 8 ft. 180 Degree Rain Bird Nozzle Full Circle 8 ft. 360 Degree Rain Bird Nozzle Quarter Circle 10 ft. 90 Degree Rain Bird Nozzie Half Circle 10 ft. 180 Degree Rain Bird Nozzle Full Circle 10 ft. 360 Degree Rain Bird Nözzle Quarter Circle 12 ft. 90 Degree Rain Bird Nozzle Half Circle 12 ft, 180 Degree Rain Bird Nozzie Full Circle 12 ft. 360 Degree Rain Bird Nozzle Radius Quarter Circle 15 ft. 90 Degree Ram Bird Nozzle Half Circle 15 ft. 180 Degree Rain Bird Nozzle Full Circle 15 ft. 360 Degree Rain Bird U-Series Nozzle Quarter Circle 10 ft. 90 Degree Rain Bird U-Series Nozzle Half Circle 10 ft. 180 Degree Rain Bird U-Series Nozzle Full Circle 10 ft 360 Degree Rain Bird U-Series Nozzle 12 ft. Radius Quarter Circle 12 ft. 90 Degree Rain Bird U-Senes Nozzie Half Circle 12 ft. 180 Degree Rain Bird U-Series Nozzle Full Circle 12 ft. 360 Degree Rain Bird U-Series Nozzie Quarter Circle 15 ft. 90 Degree Rain Bird U-Series Nozzle Half Circle 15 ft. 180 Degree Rain Bird U Series Nozzle 15 ft. Radius Full Circle 15 ft. 360 Degree Rain Bird Nozzle Side Strip 15 ft. Ram Bird Nozzle 15 ft. End Strip 15 ft. Hunter MP Rotator MP1000 Nozzle 8 ft. - 15 ft. 90 Degree - 210 Degree Hunter MP Rotator 1000 Nozzie 8 ft. 15 ft. 210 Degree 270 Degree Hunter MP Rotator MP1000 Nozzle 8 ft. - 15 ft. 360 Degree Hunter MP Rotator MP2000 Nozzie 13 ft. - 21 ft. Radius 90 Degree - 210 Degree 13 ft. - 21 ft. 90 Degree - 210 Degree Hunter MP Rotator MP2000 Nozzle Radius 13 ft. - 21 ft. 210 Degree - 270 Degree Hunter MP Rotator MPZ000 Nozzle 13 ft = 21 ft 360 Degree Hunter MP Rotator MP3000 Nozzle 22 ft. - 30 ft. 90 Degree - 210 Degree Hunter MP Rotator MP3000 Nozzie 22 ft. 30 ft. 210 Degree 270 Degree Hunter MP Rotator MP3000 Nozzle 22 ft. - 30 ft. 360 Degree Hunter MP Rotator MP Strip Nozzle Side Strip 5 ft. x 30 ft. Hunter MP Rotator MP Strip Nozzle Left Comer Strip 5 ft. - 15 ft. Hunter MP Rotator MP Strip Nozzie Right Comer Strip 5 ft. x 15 ft. Toro Precision Nozzle Female Thread Quarter Circle 8 ft. 90 Degree Toro Precision Nozzle Female Thread Radius Half Circle 8 ft. 180 Degree Toro Nozzle Female Thread, 8-F Precision Series 8 ft. 360 Degree

Toro Nozzie Spray Oscillating 10Ft 1200 Female 10 ft 120 Degree
Toro Precision Nozzle Female Thread Quarter Circle 10 ft. 90 Degree
Toro Precision Nozzie Female Thread Half Circle 10 ft. 180 Degree
Toro Precision Nozzle Female Thread Full Circle 10 ft. 360 Degree
Toro/Toro Precision Nozzie Female Thread Side Strip 4 ft. x 30 ft.
Toro Precision Nozzle Female Thread 4 ft. x 18 ft. Side Strip 4 ft. x 18 ft.
Toro Nozzie Spray Oscillating Female 12 ft. 120 Degree
Toro Precision Nozzle Female Thread Quarter Circle 12 ft. 90 Degree
Toro Precision Nozzie Female Thread Half Circle 12 ft. 180 Degree
Toro Pregsion Nozzle Female Thread Full Circle 12 ft. 360 Degree
Toro Nozzle Female Thread Third Precision Series 15 ft: 120 Degree
Toro Precision Nozzle Female Thread Quarter Circle 15 ft. 90 Degree
Toro Precision Nozzle: Female Thread Half Circle 15 ft. 180: Degree
Hunter Hunter PRO Nozzle Radius Third Circle 8 ft. 120 Degree .
Hunter Hunter PRO Nozzle Third Circle 10 ft. 120 Degree
Hunter PRO Nozzle Third Circle 12 ft. 120 Degree

Qty Desired	Cust On Hand
5	0
5	
0	0
75	200000000000000000000000000000000000000
, a	0
4.3	200000000000000000000000000000000000000
2.0	13
	12
0	/// 0
1	1
100	-0
100	100
1	1
1	Ü
6	5
100	100
50	50
10	2
5	//////////////////////////////////////
10	10
5	7
2	0
70	
75	n
20	0
70	70
20	20
20	- U
100	50
100	50
	6
Q	
0	5
100	50
0	6
0	12
0	6
100	50
100	. 50
	50
100	50
50	25
100	50
100	50
100	50
50	
100	50
50 50	
50	6
25	-6
Z 5	6
25	2
100	50
100 25	50

	5577777777777777777777
	25
(25
	75
and the state of the second second	
	25
	5
argenegas gyggaan a garray ar gerray.	na programa (na maranta). Na programa (na maranta)
	5
(a	5

	5
	57/////5/
20	200
10	
	100
10	100
Section of the sectio	
10	100
80000000000000000000000000000000000000	2000
	10
	3
4.	
11	
	10
	6
	, , , , , , , , , , , , , , , , , , ,
	3
4	40
	50
5	100
ereggyager grangen and electric	Activities of Association of Control
1	10
/10	200
32	360
24	
	5
* * * * * * * * * * * * * * * * * * * *	300
30	300
30	300
	6
	6
	CONTRACTOR STREET
	б.
	б 6
	б 6
	6 6
5	6 6 50
5	6 6 50
5 2 2	6 6 6 50 25
5 2 5	50 50 50 50 50
5 2 5	50 50 50 50 50
5 2 2 5 5	50 50 50 50 50
5 2 5 5 5	50 50 50 50 50 50
5 2 5 5 5	50 50 50 50 50 50
5 2 5 5 5	50 50 50 50 50 50 50
5 2 5 5 5 2 2	56 66 50 25 50 50 50 20
5 2 5 5 5	50 50 50 50 50 50 50
5 2 5 5 5 5 2 2	56 66 50 275 50 50 50 20 20
5 2 5 5 5 2 2	56 66 50 25 50 50 50 20

50	50
250	250
	£2,0,0000000000000000000000000000000000
250	250
100	////100
100	O
mental and a second and a second	
200	200
50	50
40	40
3	2000 1000000000000000000000000000000000
25	0
2	0
2	0
2	0
	%>>>= Z
	Ö
6	U
\sim	1
a de la companya de	1
50	50
50	50
Contract of the contract of th	59/2////
//5	75
125	125
	25
158	150
75	75
50	ac
50	25
50	50
50	25
100	100:
75	75
25	25.45
	100 X 200 X 100
30	50
50	50
25	25
	50
20	
75	50
25	25
200	200
75	75
30	0
30	
30	
30	30
30	
30	
30	30
30	30
/////30	
30	30
10	
10	
7.50	50
-50	
25	25

50	59
50	50
50	50
25	25
10	725
10	25
50	50 50
50	50
50	50 25
25	
50	25
50	50
50	50
25	0
25	Đ
25	25