


**UCC FINANCING STATEMENT AMENDMENT**  
FOLLOW INSTRUCTIONS

|  |
|--|
| A. NAME & PHONE OF CONTACT AT SUBMITTER (optional)   |
| B. E-MAIL CONTACT AT SUBMITTER (optional)  |
| C<br> <b>COGENCYGLOBAL</b><br>698 12th ST. SE, SUITE 200<br>SALEM, OR 97301 |
| SEE BELOW FOR SECURED PARTY CONTACT INFORMATION  |

FILED: MAY 22, 2025 04:01 PM  
OREGON SECRETARY OF STATE



UCC LIEN NO. 94165496-1

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1a. INITIAL FINANCING STATEMENT FILE NUMBER

94165496

1b. ☐ This FINANCING STATEMENT AMENDMENT is to be filed [for record] (or recorded) in the REAL ESTATE RECORDS. Filer: attach Amendment Addendum (Form UCC3Ad) and provide Debtor's name in item 13.

2. ☐ TERMINATION: Effectiveness of the Financing Statement identified above is terminated with respect to the security interest(s) of Secured Part(y)(ies) authorizing this Termination Statement

3. ☐ ASSIGNMENT: Provide name of Assignee in item 7a or 7b, and address of Assignee in item 7c and name of Assignor in item 9. For partial assignment, complete items 7 and 9; check ASSIGN Collateral box in item 8 and describe the affected collateral in item 8

4. ☐ CONTINUATION: Effectiveness of the Financing Statement identified above with respect to the security interest(s) of Secured Party authorizing this Continuation Statement is continued for the additional period provided by applicable law

5. PARTY INFORMATION CHANGE:

Check one of these two boxes:

AND Check one of these three boxes to:

This Change affects ☐ Debtor or ☐ Secured Party of record

☐ CHANGE name and/or address: Complete item 6a or 6b; and item 7a or 7b and item 7c

☐ ADD name: Complete item 7a or 7b, and item 7c

☐ DELETE name: Give record name to be deleted in item 6a or 6b

6. CURRENT RECORD INFORMATION: Complete for Party Information Change - provide only one name (6a or 6b)

6a. ORGANIZATION'S NAME

|    |                          |                     |                               |        |
|----|--------------------------|---------------------|-------------------------------|--------|
| OR | 6b. INDIVIDUAL'S SURNAME | FIRST PERSONAL NAME | ADDITIONAL NAME(S)/INITIAL(S) | SUFFIX |
|----|--------------------------|---------------------|-------------------------------|--------|

7. CHANGED OR ADDED INFORMATION: Complete for Assignment or Party Information Change - provide only one name (7a or 7b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name)

7a. ORGANIZATION'S NAME

|    |  |
|----|--|
| OR | 7b. INDIVIDUAL'S SURNAME                   |
|    | INDIVIDUAL'S FIRST PERSONAL NAME           |
|    | INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S) |
|    | SUFFIX                                     |

|                     |      |       |             |         |
|---------------------|------|-------|-------------|---------|
| 7c. MAILING ADDRESS | CITY | STATE | POSTAL CODE | COUNTRY |
|---------------------|------|-------|-------------|---------|

8. COLLATERAL CHANGE: Check only one box: ☐ ADD collateral ☐ DELETE collateral ☒ RESTATE covered collateral ☐ ASSIGN\* collateral

Indicate collateral:

\*Check ASSIGN COLLATERAL only if the assignee's power to amend the record is limited to certain collateral and describe the collateral in Section 8

See Exhibit A attached hereto and by this reference incorporated herein.

9. NAME OF SECURED PARTY OF RECORD AUTHORIZING THIS AMENDMENT: Provide only one name (9a or 9b) (name of Assignor, if this is an Assignment). If this is an Amendment authorized by a DEBTOR, check here ☐ and provide name of authorizing Debtor

9a. ORGANIZATION'S NAME

U.S. Bank National Association

|    |                          |                     |                               |        |
|----|--------------------------|---------------------|-------------------------------|--------|
| OR | 9b. INDIVIDUAL'S SURNAME | FIRST PERSONAL NAME | ADDITIONAL NAME(S)/INITIAL(S) | SUFFIX |
|----|--------------------------|---------------------|-------------------------------|--------|

10. OPTIONAL FILER REFERENCE DATA:

USBANK/68439

## EXHIBIT A TO UCC FINANCING STATEMENT

**Debtor:** Hazelnut Growers of Oregon, LLC, an Oregon limited liability company

**Secured Party:** U.S. Bank National Association

All of the right, title, and interest of Debtor in and to the following property, whether now owned or hereafter acquired or arising, and all products and proceeds thereof:

"Collateral" means the following described property of Debtor and all products and proceeds thereof, whether now owned or hereafter acquired, whether now existing or hereafter arising, and wherever located:

All equipment set forth on Schedule 1, attached hereto and incorporated by this reference.

In addition, "Collateral" includes all of the following, whether now owned or hereafter acquired, whether now existing or hereafter arising, and wherever located:

(a) All attachments, accessions, accessories, tools, parts, supplies, increases, and additions to and all replacements of and substitutions for any property described above.

(b) All products, produce, and supporting obligations of any of the property described in this Collateral definition.

(c) All accounts, general intangibles, instruments, rents, monies, payments, and all other rights, arising out of a sale, lease, or other disposition of any of the property described in this Collateral definition.

(d) All proceeds (including insurance proceeds) of any of the property described in this Collateral definition.

(e) All records and data relating to any of the property described in this Collateral definition, whether in the form of a writing, photograph, microfilm, microfiche, or electronic media, together with all of Debtor's right, title, and interest in and to all computer software required to utilize, create, maintain, and process any such records or data on electronic media.

## SCHEDULE 1

### Equipment

As of October 17, 2024

| #                                | Qty | Item/Description  | Location | Department     |
|----------------------------------|-----|---|----------|----------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |   |          |                |
| 1                                | (1) | All Outside Receiving & Storage Assets associated with hazelnut processing installed in 2018. Reported capacity per hour is 160,000lbs/hour                                     |          |                |
| 2                                | (1) | 2018 Unk Truck scale, wired connection  | Outside  | Receiving Area |
| 3                                | (1) | 2022 Unk Receiving stations computer system   | Outside  | Receiving Area |
| 4                                | (2) | 2018 Unk Grated dump bin, 9'x9' with galvanized sides to discharge spout, (below ground)  | Outside  | Receiving Area |
| 5                                | (1) | 2018 Unk Infeed conveyor, 2' x 8', ss mesh with flights, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 6                                | (1) | 2018 Unk Infeed conveyor, 2' x 20', ss mesh with flights, drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 7                                | (2) | 2018 LMC Easy dump elevator, 2'6"x3'x34' high, mezzanine, drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 8                                | (2) | 2018 LMC Bucket elevator, m/n 3060, s/n 170000728, drawing 166-70-000018 with discharge chutes to refuse/aspirator, drive with gr, wired connection & motor control             | Outside  | Receiving Area |
| 9                                | (2) | 2018 LMC Distribution chute, m/n 726B, s/n 170000738 & 170000739, with vibra-shake, drawing 273-70-000011 & 273-70-000012, drive with gr, wired connection & motor control      | Outside  | Receiving Area |
| 10                               | (1) | Lot of refuse piping  | Outside  | Receiving Area |
| 11                               | (1) | 2018 Unk Refuse bin, 38'ss x 16' as x 14' dia tapering to 2' dia, bolted ms   | Outside  | Receiving Area |
| 12                               | (1) | 2018 Unk Rotary feeder, with 18" sq discharge, ms supports  | Outside  | Receiving Area |
| 13                               | (1) | 2018 FEC Industrial fan, size 10, type AFS, s/n 2017-388, 70,000 cfm, fan rpm 1180, 200 hp drive with refuse piping, drive with gr, wired connection & motor control            | Outside  | Receiving Area |
| 14                               | (2) | 2018 LMC Easy dump elevator, m/n 3560, 2'6"x3'x42' high, s/n 170000735 & 170000736, drawing 166-70-000021 & 166-70-000020, drive with gr, wired connection & motor control      | Outside  | Receiving Area |
| 15                               | (2) | 2018 LMC Bucket elevator, m/n 3060, s/n unk, drop chute, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 16                               | (2) | 2018 Unk Auger conveyor, 20" dia x 66', platform mounted, drop chutes, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 17                               | (4) | 2018 Scaico Offload bin, 12'ss x 12' as x 14' dia tapering to 1' dia, bolted ms with top, with Sukup axial fan/heater, mechanical connections, wired connection & motor control | Outside  | Receiving Area |
| 18                               | (4) | 2018 Unk Auger conveyor, 20" dia x 15', platform mounted, drop chutes, vibra-shake, drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 19                               | (1) | 2018 Unk Auger conveyor (in slab), 20" dia x 65' with (2) drop chutes, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 20                               | (1) | 2013 Universal Easy dump elevator (starts in pit), m/n D3-1000x21, s/n 73797, 2 legs, each leg is 8"x15"x50', drive with gr, wired connection & motor control                   | Outside  | Receiving Area |
| 21                               | (1) | 2018 Unk Discharge chute, 30' of piping   | Outside  | Receiving Area |

| #                                | Qty | Item/Description   | Location | Department     |
|----------------------------------|-----|--|----------|----------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |  |          |                |
| 22                               | (1) | 2018 Unk Bin, 9' x 9' x 5'ss x 6'as, ms, pneumatic discharge gate, mechanical connections  | Outside  | Receiving Area |
| 23                               | (1) | 2018 Unk Offload bucket elevator (starts in pit), 2 legs, each leg is 12"x20"x40', drive with gr, wired connection & motor control                                     | Outside  | Receiving Area |
| 24                               | (1) | 2018 Unk Auger conveyor, 20" dia x 27', with 15lf of 13"x18" discharge, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 25                               | (2) | 2018 LMC Distribution feeders, m/n 72RF, s/n 170000744 & 170000750, drawing 368-70-000019, drive with gr, wired connection & motor control                             | Outside  | Receiving Area |
| 26                               | (2) | 2018 LMC Destoners, m/n 8410PAG, s/n 170000749 & 170000745, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 27                               | (2) | 2018 LMC Aspirators, m/n unk, mechanical connections, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 28                               | (2) | 2018 LMC Rotary feeder, m/n unk, wired connection & motor control  | Outside  | Receiving Area |
| 29                               | (1) | 2018 Beeler Industries Belt conveyor, 2' x 24', textured, s/n 19256-111, drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 30                               | (1) | 2018 Beeler Industries Inclined belt conveyor, 2' x 38', textured, drop chute, drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 31                               | (1) | 2018 Beeler Industries Desticker conveyor, 2' x 29', drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 32                               | (1) | 2018 LMC Bucket elevator, m/n 3518, s/n 170000729, drawing 163-70-000048, 2'x2'x8'h, drive with gr, wired connection & motor control                                   | Outside  | Receiving Area |
| 33                               | (1) | 2018 LMC Tiny destoner, m/n M36, s/n 170000737, drawing 230-70-000010, (2) discharge chutes, drive with gr, wired connection & motor control                           | Outside  | Receiving Area |
| 34                               | (1) | 2018 Beeler Industries Inclined belt conveyor, 2'6" x 60', drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 35                               | (1) | 2018 unk Bucket elevator, 30" x 54" x 80', discharge chute, stairs/mezzanine, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 36                               | (1) | 2018 Unk Auger conveyor, 24" dia x 75', drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 37                               | (1) | 2018 Unk Auger conveyor, 24" dia x 105', drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 38                               | (4) | 2018 Scafco Silo, 50' dia x 50'h, with concrete ring foundation, floor-sweep mechanism, with 18" x 20' auger conveyor, drive with gr, wired connection & motor control | Outside  | Receiving Area |
| 39                               | (3) | 2018 Universal Inclined belt conveyor, 18" x 27', drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 40                               | (1) | 2018 Unk Belt conveyor, 24" x 75', rabbit ear, drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 41                               | (1) | 2018 LMC Bucket elevator, m/n 3540, s/n 170000731, drawing 165-70-000015, 2'x3'x34'h, drive with gr, wired connection & motor control                                  | Outside  | Receiving Area |

| #                                | Qty | Item/Description   | Location | Department     |
|----------------------------------|-----|--|----------|----------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |  |          |                |
| 42                               | (1) | 2018 Scafco Silo, 8'ss x 10'as x 12' dia tapering 16", galvanized bolted steel, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 43                               | (1) | 2018 Unk Inclined auger conveyor, 18" x 16', drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 44                               | (1) | 2018 LMC Bucket elevator, m/n 3540, s/n 170000732, drawing 165-70-000017, 2'x3'x25'h. drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 45                               | (1) | 2018 LMC Sizer #1, m/n 8412D, s/n 170000752, drawing 802-70-000037, 2 decks, 84 sf/deck, 12' deck length, 6 sections/deck. mechanical connections, drive with gr, wired connection & motor control | Outside  | Receiving Area |
| 46                               | (1) | 2018 LMC Aspirator, m/n 606E, s/n 170000759, drawing 270-73-000016. mechanical connections, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 47                               | (1) | 2018 Unk Auger conveyor (below aspirator), drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 48                               | (1) | 2018 LMC Aspirator, m/n 24, s/n 170000754, drawing na, with (2) discharge chutes, mechanical connections, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 49                               | (1) | 2018 Beeler Industries Vibrating conveyor, 22" x 10', s/n 19256-227, drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 50                               | (1) | 2018 LMC Blower, m/n CR30, s/n 180000757, drawing 342-70-000008, with 60lf of piping to shelling line, drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 51                               | (3) | 2018 Beeler Industries Belt conveyor, 12" x 14', drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 52                               | (1) | 2018 LMC Bucket elevator, m/n 3514, s/n 180000734, 22" x 25" x50'h, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 53                               | (1) | 2018 LMC Bucket elevator, m/n 3514, s/n 180000740, 22" x 25" x50'h, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 54                               | (1) | 2018 LMC Bucket elevator, m/n 3530, s/n 180000741, 22" x 25" x50'h, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 55                               | (1) | 2018 LMC Bucket elevator, m/n 3514, s/n 180000742, 22" x 25" x50'h, drive with gr, wired connection & motor control  | Outside  | Receiving Area |
| 56                               | (1) | 2018 LMC Sizer #2, m/n 8412D, s/n 170000751, drawing 802-70-000036, 2 decks, 84 sf/deck, 12' deck length, 6 sections/deck, mechanical connections, drive with gr, wired connection & motor control | Outside  | Receiving Area |
| 57                               | (1) | 2018 Steel Structure Inshell sizing storage bin, 200 ton max capacity, ms, s/n 3383, 12' x 48' nominal size, discharges, mechanical connections  | Outside  | Receiving Area |
| 58                               | (1) | 2018 Beeler Industries Belt conveyor, 18" x 60', drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 59                               | (1) | 2018 Beeler Industries Belt conveyor, 12" x 52', drive with gr, wired connection & motor control   | Outside  | Receiving Area |
| 60                               | (1) | 2018 LMC Bucket elevator (to unshelled line), m/n 3530, s/n 170000743, drawing 164-70-000052, 24'x30"x30', drive with gr, wired connection & motor control   | Outside  | Receiving Area |

| #                                | Qty | Item/Description  | Location       | Department     |
|----------------------------------|-----|---|----------------|----------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |   |                |                |
| 61                               | (1) | 2018 LMC Bucket elevator, m/n 3530, s/n 180000001, drawing 164-70-000054, 24'x30"x40', drive with gr, wired connection & motor control  | Outside        | Receiving Area |
| 62                               | (1) | 2018 Beeler Industries Belt conveyor (elevated), 18" x 40', with discharge spout, drive with gr, wired connection & motor control   | Outside        | Receiving Area |
| 63                               | (1) | 2018 LMC Bucket elevator, m/n 3530, s/n 170000753, drawing 164-70-000053, drive with gr, wired connection & motor control   | Outside        | Receiving Area |
| 64                               | (1) | 2018 Beeler Industries Belt conveyor (to unshelled line), 18" x 56' (partially outside building; dumps into unshelled storage bin), drive with gr, wired connection & motor control | Outside/inside | Receiving Area |
| 65                               | (1) | 2018 Beeler Industries Belt conveyor (to shelled line), 18" x 54' (partially outside building; dumps into unshelled storage bin), drive with gr, wired connection & motor control   | Outside/inside | Receiving Area |
| 66                               | (1) | 2018 Unk Manual tote dump, 2 position, ms, with top, drive with gr, wired connection & motor control  | Outside        | Receiving Area |
| 67                               | (1) | 2020 New London Belt conveyor, m/n 200-6"-20", 6"x20", pleated, s/n 132399, drive with gr, wired connection & motor control   | Outside        | Receiving Area |
| 68                               | (1) | 2018 Unk Inclined auger conveyor, 20" x 38', discharge spout (into auger that feeds bucket elevator before screen), drive with gr, wired connection & motor control                 | Outside        | Receiving Area |
| 69                               | (1) | 2018 Unk Bin, 7'x7'x8' overall, ms, with discharge, mechanical connections  | Outside        | Receiving Area |
| 70                               | (1) | 2018 Universal Uni-Tube Portable conveyor, plugged  | Outside        | Receiving Area |
| 71                               | (1) | 2018 Unk Cyclone, 6'ss x 6'as to surge bin, 2'ss x 2'as, mechanical connections   | Outside        | Shell Storage  |
| 72                               | (1) | 2018 Donaldson Torit Rotary feeder, including discharge chute, drive with gr, wired connection & motor control  | Outside        | Shell Storage  |
| 73                               | (1) | 2018 Fan Equipment Co. Fan, m/n L-20, s/n 2017-387, drive, with 40lf of ducting, mechanical connections, drive with gr, wired connection & motor control                            | Outside        | Shell Storage  |
| 74                               | (1) | 2018 Universal Industries Bucket elevator, m/n D3-2000, s/n 94525 (2018), 12"x8"x50'h, discharge chute, drive with gr, wired connection & motor control                             | Outside        | Shell Storage  |
| 75                               | (1) | 2018 Scafco Silo, 20'ss x 20'as x 24' d tapering to 3' dia discharge, mechanical connections  | Outside        | Shell Storage  |
| 76                               | (1) | 2018 Unk Inclined auger conveyor, 20" x 14', drive with gr, wired connection & motor control  | Outside        | Shell Storage  |
| 77                               | (1) | 2018 Unk Bucket elevator, 12"x20"x35'h, discharge chute for tote/trailer loading, drive with gr, wired connection & motor control   | Outside        | Shell Storage  |
| 78                               | (1) | 2018 Scafco Ducting from 2nd screener & inside of building), 20'ss x 20'as x 24' d tapering to 3' dia discharge, mechanical connections   | Outside        | Fines          |
| 79                               | (1) | 2018 Donaldson Torit Baghouse, 30'ss x 20'as x 15' dia tapering to 1'6" dia discharge, mechanical connections   | Outside        | Fines          |

| #                                | Qty | Item/Description  | Location | Department         |
|----------------------------------|-----|---|----------|--------------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |   |          |                    |
| 80                               | (1) | 2018 Donaldson Torit Rotary feeder, m/n FT24HD, s/n 2153235-L1-1, drive with gr, wired connection & motor control   | Outside  | Fines              |
| 81                               | (1) | 2018 Fan Equipment Co. Fan, size 7, type AFS, s/n 2017-437, 56300 cfm, ducting, drive with gr, wired connection & motor control   | Outside  | Fines              |
| 82                               | (1) | Unk Year Jessee Machine Portable conveyor   | Outside  | Portable Equipment |
| 83                               | (1) | 2019 Unitube Portable conveyor, m/n 1547  | Outside  | Portable Equipment |
| 84                               | (1) | 2015 Napasol Pasteurization line equipment, including related accessories (in storage - removed from service)   | Outside  | Pasterurizer       |
| 85                               | (1) | 2014 CB Firetube boiler, m/n GBEX-P700-200-150, s/n T4340-1, natural gas, 150ST PSI, with tanks and accessories (in storage - removed from service)                                       | Outside  | Boiler             |
| 86                               | (1) | 2023 Beeler Industries Tunnel dryer, 80 compartment, includes Industrial Automation controls, GSI gas burner, mechanical connections, drive with gr, wired connection & motor control     | Outside  | Receiving Area     |
| 87                               | (1) | 2022 Kaishan Air compressor, m/n KRSP-75-125VSD, s/n K552101840V/01, mechanical connections, drive with gr, wired connection & motor control  | Outside  | Receiving Area     |
| 88                               | (1) | 2022 Champion Air dryer, m/n CGP300A4, s/n 20K460HGN3000564, wired connection, mechanical connections   | Outside  | Receiving Area     |
| 89                               | (1) | 2022 Unk Receiving tank, 30"x72", mechanical connections  | Outside  | Receiving Area     |
| 90                               | (1) | 2017 Champion Air compressor, m/n CLRS23-29B, s/n S536265, mechanical connections, drive with gr, wired connection & motor control  | Outside  | Receiving Area     |
| 91                               | (1) | 2017 Champion Air dryer, m/n CRE190A7EN1BDFR, s/n 1000003329376, mechanical connections   | Outside  | Receiving Area     |
| 92                               | (1) | 2017 Unk Receiving tank, 30"x72", mechanical connections  | Outside  | Receiving Area     |
| 93                               | (1) | Sorting Station 1, including mezzanine, consisting of:  | Inside   | Sorting Station 1  |
| 94                               | (1) | 2015 Tomra Nimbus Optical sorter, m/n BS1 640, s/n 5132, with integrated shaker, m/n 2113-488-1, s/n HE5132R, elevated platform, controls drive with gr, wired connection & motor control | Inside   | Sorting Station 1  |
| 95                               | (1) | 2016 Tomra Nimbus Optical sorter, m/n T640, s/n HE5015, with integrated sorter, Best, m/n 3180 036 0, controls drive with gr, wired connection & motor control                            | Inside   | Sorting Station 1  |
| 96                               | (2) | Unk Year Lauda Ultracool Cooler, type UC-0040 3, SP3 Tomra FPS SS NPT F, catalog E6004331-MB3C, s/n 65008, 65206, wired connection  | Inside   | Sorting Station 1  |
| 97                               | (1) | 2023 Anex Overlapping lift bucket, m/n SBL-09, "S", s/n SW5595-3, drive with gr, wired connection & motor control   | Inside   | Sorting Station 1  |
| 98                               | (1) | Sorting Station 2, including mezzanine, consisting of:  | Inside   | Sorting Station 2  |
| 99                               | (1) | 2021 Ventus Optical sorter, m/n 1200, s/n VE 001 with infeed shaker, reject belt, controls drive with gr, wired connection & motor control  | Inside   | Sorting Station 2  |

| #                                | Qty | Item/Description   | Location | Department           |
|----------------------------------|-----|--|----------|----------------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |  |          |                      |
| 100                              | (1) | 2021 Lauda Ultracool Cooler, type UC-004, s/n 74329, wired connection  | Inside   | Sorting Station 2    |
| 101                              | (1) | Unk Year Unk Tote dump, 7' ss x 4' as x 5' x 5' tapering to 8' square, drive with gr, wired connection & motor control   | Inside   | Sorting Station Area |
| 102                              | (1) | Unk Year Beeler Industries Vibrating conveyor, 1' x 6', s/n 19498-631, drive with gr, wired connection & motor control   | Inside   | Sorting Station Area |
| 103                              | (1) | Sorting Room Operations, consisting of:  | Inside   | Sorting Room         |
| 104                              | (2) | 2023 Unk Bin, 8' x 4' x 12'h, ss, pants-leg, top-fed mechanical connections  | Inside   | Sorting Room         |
| 105                              | (4) | 2023 Syntron Magnetic feeder, wired connection   | Inside   | Sorting Room         |
| 106                              | (4) | 2023 QCIF Optical sorter, m/n EYE, s/n 1000144-1000147 (2022), with NVENT air conditioner, m/n S060316G031, with 1'6" x 10' belt conveyordrive with gr, wired connection & motor control | Inside   | Sorting Room         |
| 107                              | (1) | 2023 Unk Vibrating conveyor, 15' x 22' drive with gr, wired connection & motor control   | Inside   | Sorting Room         |
| 108                              | (1) | 2023 Cableway Lot of cableway conveyor, mechanical connections, drive with gr, wired connection & motor control  | Inside   | Sorting Room         |
| 109                              | (1) | 2017 Deamco Overlapping lift bucket, m/n BEM-12P-SW-X1 s/n 21421 BEM-01 drive with gr, wired connection & motor control  | Inside   | Sorting Room         |
| 110                              | (1) | 2023 Unk Bin, 4' ss x 6' as x 6' x 6' tapering to 1' sq, Syntron magnetic feederdrive with gr, wired connection & motor control  | Inside   | Sorting Room         |
| 111                              | (1) | 2023 Unk Bulk load-out station, ms flex hose mechanical connections  | Inside   | Sorting Room         |
| 112                              | (1) | Bulk Loading Station, consisting of:   | Inside   | Outside Sorting Room |
| 113                              | (1) | Unk Year Unk Tote dump, 6' ss x 4' as x 6' x 6' ss, discharge chute drive with gr, wired connection & motor control  | Inside   | Outside Sorting Room |
| 114                              | (1) | 2013 Universal Bucket elevator, m/n D3-1000X21, s/n 73797, with 2 legs, 8"x15" each, 21' high drive with gr, wired connection & motor control  | Inside   | Outside Sorting Room |
| 115                              | (1) | 2024 Mettler Toledo Checkweigher, m/n GFVCV3, s/n 14666, elevated on platform, flex hose, ms chute, wired connection   | Inside   | Outside Sorting Room |
| 116                              | (1) | 2023 DH Automation MAP system, m/n VQPro 2.0, 100m^2/h, s/n P230006-1, wired connection  | Inside   | Outside Sorting Room |
| 117                              | (1) | 2018 GTX Floor machine, m/n 34-C, s/n 100906   |          |                      |
| 118                              | (1) | Unk Year Marklift Scissor lift, m/n J25, 800 lbs   |          |                      |
| 119                              | (1) | Neopure Pasteurizing Line, 10,000 lb/hour capacity, consisting of:   |          |                      |
| 120                              | (1) | 2023 West Coast Companies Tote dump, 5'x5', ss, with controls, drive with gr, wired connection & motor control   | Inside   | Neopure Line         |
| 121                              | (1) | 2023 Unk Flopper, 6' x 4' x 8' high reduces to 8' x 10' discharge, mechanical connections  | Inside   | Neopure Line         |
| 122                              | (1) | 2023 Cableway Lot of cableway conveyor, mechanical connections, drive with gr, wired connection & motor control  | Inside   | Neopure Line         |
| 123                              | (1) | 2023 Unk Pump mix station, mechanical connections, wired connection & motor control  | Inside   | Neopure Line         |



| #                                | Qty | Item/Description  | Location | Department   |
|----------------------------------|-----|---|----------|--------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |   |          |              |
| 124                              | (1) | 2023 Unk Neopure tank, 2' dia x 26", ss, mechanical connections   | Inside   | Neopure Line |
| 125                              | (1) | 2023 Unk Bin, 6'ss x 8'as x 9' x 9' tapering to 1' square discharge, ms, mechanical connections   | Inside   | Neopure Line |
| 126                              | (1) | 2023 Unk Rotary feeder, drive with gr, wired connection & motor control   | Inside   | Neopure Line |
| 127                              | (1) | 2023 Unk Rotating mixer, 3'6" dia x 8' long, ss, elevated, controls, discharges to cableway, drive with gr, wired connection & motor control  | Inside   | Neopure Line |
| 128                              | (1) | 2023 Cincinnati Fan, m/n PB-15A, a/n 1810293, po 180737-1, with stand, drive with gr, wired connection & motor control  | Inside   | Neopure Line |
| 129                              | (1) | 2023 Cableway Lot of cableway conveyor, (inside room), mechanical connections, drive with gr, wired connection & motor control  | Inside   | Neopure Line |
| 130                              | (1) | 2023 Neopure Dryer, ss with ms base, air plenums, mechanical connections  | Inside   | Neopure Line |
| 131                              | (1) | 2023 S-M Vibrating conveyor, 1'6" x 12', ss with ms base, HD plugged  | Inside   | Neopure Line |
| 132                              | (1) | 2017 Deamco Overlapping lift bucket, m/n BEM-18P-SW-X1, s/n 21423BEM-01, drive with gr, wired connection & motor control  | Inside   | Neopure Line |
| 133                              | (1) | 2018 Unk Bin, 4'ss x 7'as x 6' x 6' tapering to 1'6" square discharge, magnetic feeder, with Cassel metal detector, m/n Shark 2A, with Jet vacuum station, mechanical connections, drive with gr, wired connection & motor control  | Inside   | Neopure Line |
| 134                              | (1) | 2015 Various Manufacturers All outside air handling assets associated with Neopure Line, consisting of: CaptiveAire Systems Fan #1, job 5964293, (2) Intertek condensers, 5 tons each, York condenser, 410A refrigerant, s/n 82012F30089495, (2023), (2) CPA, 2" in x 2" out x 7" impeller diameter, (1) Air tank, s/n 466894, (2023) (1) Fan, Fan Equipment Company, size 3, Type BCS, s/n 2019-37-2A, 6750 CFM, (1) radiator unit. (1) Witte Company natural gas furnace, 6.0 million BTU, s/n 6727 (2019), includes plenum and ducting and all electrical and mechanical connections | Outside  | Neopure Line |
| 135                              | (1) | 2018 Unk 50lb bagging station, consisting of: mechanical connections, drive with gr, wired connection & motor control   | Inside   | Neopure Line |
| 136                              |     | (1) Bin dump, 6'x6', ms, elevated   |          |              |
| 137                              |     | (1) Vibrating conveyor, 10"x4'  |          |              |
| 138                              |     | (1) Scale, Express Scale  |          |              |
| 139                              |     | (1) Discharge spout   |          |              |
| 140                              |     | (1) 15" x 10' belt pass-thru conveyor   |          |              |
| 141                              |     | (1) Fischbein m/n 100 bagging stitcher  |          |              |
| 142                              |     | (1) Inclined belt conveyor, 30" x 84" with integrated ss table  |          |              |
| 143                              | (1) | <b>Roasting Line, 3,000 lb/hour capacity consisting of:</b>   |          |              |
| 144                              | (1) | 2017 Unk Feed table, 5' x 5', ss, with discharge in the middle, drive with gr, wired connection & motor control   | Inside   | Roasting     |

| #                                | Qty  | Item/Description   | Location | Department            |
|----------------------------------|------|--|----------|-----------------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |      |  |          |                       |
| 145                              | (1)  | 2017 Beeler Industries Vibrating conveyor, 1' x 5', s/n 19498-804, HD plugged  | Inside   | Roasting              |
| 146                              | (1)  | 2017 Deamco Overlapping lift bucket, type Solid Wall X1, s/n 21424BEM-01, ss (2017), drive with gr, wired connection & motor control   | Inside   | Roasting              |
| 147                              | (1)  | 2017 Borrell Roaster, m/n TZ-626M, s/n 36278/84466, 92 hp, overall dimension is 9' x 50' x 10', with fans/blowers, mechanical connections, drive with gr, wired connection & motor control | Inside   | Roasting              |
| 148                              | (1)  | 2017 Borrell Vibrating conveyor, m/n 34997, s/n 84130, 606 kg weight (2017), drive with gr, wired connection & motor control   | Inside   | Roasting              |
| 149                              | (2)  | 2017 Seneca Fans "cooler", m/n CMR-2271-4T/R/T Ramp Doble, 24" in x 24" dia out, mechanical connections, drive with gr, wired connection & motor control                                   | Inside   | Roasting              |
| 150                              | (1)  | 2017 Cox & Plant Spiral cooler, 3' dia x 7'h, ss with ms base, s/n HS9423, drive with gr, wired connection & motor control   | Inside   | Roasting              |
| 151                              | (1)  | 2017 Donaldson Torit Dust collector, Downflo Oval, m/n DF02-2, s/n 12134862-L1-1, mechanical connections, drive with gr, wired connection & motor control                                  | Inside   | Roasting              |
| 152                              | (1)  | 2017 Borrell Rotary feeder, m/n 18556, s/n 84046 (2017), drive with gr, wired connection & motor control   | Inside   | Roasting              |
| 153                              | (1)  | 2023 Borrell Vibrating conveyor, 3' x 7', m/n 104504, s/n 112556, wired connection & motor control   | Inside   | Roasting              |
| 154                              | (1)  | 2017 Borrell Overlapping lift bucket, m/n 27193, s/n 83348, ss, 23"x25" (2017), drive with gr, wired connection & motor control  | Inside   | Roasting              |
| 155                              | (1)  | 2017 Borrell Inclined belt conveyor, 14" x 12', ss, drive with gr, wired connection & motor control  | Inside   | Roasting              |
| 156                              | (1)  | 2017 Unk Tote dump, 8'ss x 5'as x 6' x 6', ss, with tilt dump, 4'x4' scale platform, drive with gr, wired connection & motor control   | Inside   | Roasting              |
| 157                              | (1)  | 2020 Oksealer Continuous band sealer, m/n GA5FLUSH GF-10, s/n 221-2877 (2022), with m/n SB-20R, s/n 220-2526-17 (2022)plugged  | Inside   | Adjacent to Roasting  |
| 158                              | (1)  | 2017 Lantech Stretch wrapper, m/n Q300, s/n QM052269, plugged  | Inside   | Adjacent to Roasting  |
| 159                              | (1)  | 2018 Group of Pallet Racking   | Inside   | Throughout            |
| 160                              | (5)  | 8'x3'6"x24", 4 tier  |          |                       |
| 161                              | (8)  | 8'x4'x20", 3 tier  |          |                       |
| 162                              | (17) | rolling, 9'x15'x22'  |          |                       |
| 163                              | (4)  | rolling, 9'x8'x22'   |          |                       |
| 164                              | (8)  | 9'x4'x24", 4 tier  |          |                       |
| 165                              | (1)  | 2015 Lantech Stretch wrapper, m/n G Series, s/n G0000751, plugged  | Inside   | Finished Good Storage |
| 166                              | (1)  | 2021 Meyer Color sorter, m/n 6SX2-180Cl, s/n 6050307901226, not installed (in warehouse)   | Inside   | Finished Good Storage |

| #                                | Qty | Item/Description   | Location | Department            |
|----------------------------------|-----|--|----------|-----------------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |  |          |                       |
| 167                              | (1) | 2020 Silver Star Process chiller, m/n SAC-03, s/n 202008002, not installed (in warehouse)  | Inside   | Finished Good Storage |
| 168                              | (1) | 2023 Anex Overlapping lift bucket, m/n SBL-09 "C", s/n SW5595-1, not installed (in warehouse)  | Inside   | Finished Good Storage |
| 169                              | (1) | 2023 Anex Overlapping lift bucket, m/n SBL-09 "C", s/n SW5595-2, not installed (in warehouse)  | Inside   | Finished Good Storage |
| 170                              | (1) | Unk Year Fischbein Bagging stitcher, m/n 400, not installed (in warehouse)   | Inside   | Finished Good Storage |
| 171                              | (1) | 2017 Sani-matic Cabinet washer system, m/n UW-06 2, wired connection & motor control, mechanical connections   | Inside   | Cleanroom             |
| 172                              | (1) | 2018 Douglas Bin/tote washer, m/n BW-1000-E, wired connection & motor control, mechanical connections  | Inside   | Cleanroom             |
| 173                              | (1) | 2017 Beeler Hopper bins, ss  | Inside   | Throughout            |
| 174                              | (1) | Dicer Line, 5,000 lb/hour capacity consisting of:  | Inside   | Slicer/Dicer          |
| 175                              | (1) | Dicing and sizing equipment & accessories  | Inside   | Slicer/Dicer          |
| 176                              | (1) | Paste & Butter Line, consisting of:  | Inside   | Paste Line            |
| 177                              | (1) | Tanks, pumps, dust collection & accessories (equipment is mothballed and not in use)   | Inside   | Paste Line            |
| 178                              | (1) | Snack Pack Bagging, consisting of:   |          |                       |
| 179                              | (1) | 2018 Unk Vacuum bag sealer, including mezzanine, printer, and related accessories, wired connection & motor control & mechanical connections   | Inside   | Snack-Pack Bagging    |
| 180                              | (1) | 2022 High Tek Multihead weigher, m/n HTMW-T2PLUS-1.6F-WD (SS-3.5G), with ss scale platform, wired connection   | Inside   | Snack-Pack Bagging    |
| 181                              | (1) | 2023 Ohlson Retail bagger, (for standup pouches) estimated pouch width: 9.8" max, length 13.7" max, approximately 75/pouch minute speed, stainless steel, including accessories, wired connection & motor control & mechanical connections | Inside   | Snack-Pack Bagging    |
| 182                              | (1) | 25# box line, 3,000 lb/hour consisting of:   | Inside   | 25# box line          |
| 183                              | (1) | 2018 Unk Metal detector, wired connection  | Inside   | 25# box line          |
| 184                              | (2) | 2018 Unk Vibratory feeders, wired connection & motor control & mechanical connections  | Inside   | 25# box line          |
| 185                              | (1) | 2018 Unk Scale, wired connection   | Inside   | 25# box line          |
| 186                              | (1) | 2018 Unk Case sealer, wired connection & motor control & mechanical connections  | Inside   | 25# box line          |
| 187                              | (1) | 2018 Unk Hopper bins, mechanical connection  | Inside   | 25# box line          |
| 188                              | (1) | 2023 Unk Case erector, bulk box wired connection & motor control & mechanical connections  | Inside   | 25# box line          |
| 191                              | (1) | In-Shell Processing Line, primarily constructed in 2018, with a productive capacity of 10,000 lbs/hour, consisting of:   |          |                       |
| 192                              | (1) | 2015 Steel Structure Bulk storage bin, 15'ss x 9'as x 24' x 12', ms, 24 ton max capacity, 2 discharge spouts, mechanical connections, drive with gr, wired connection & motor control  | Inside   | In Shell Line         |
| 193                              | (1) | 2017 Unk Vibrating conveyor, 2' x 7', ss table, ms supports, wired connection & motor control  | Inside   | In Shell Line         |

| #                                | Qty | Item/Description  | Location | Department    |
|----------------------------------|-----|---|----------|---------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |   |          |               |
| 194                              | (1) | 2017 Cableway Conveyor system, to top of sorting station, mechanical connections, drive with gr, wired connection & motor control                             | Inside   | In Shell Line |
| 195                              | (1) | 2017 Unk Manual tote dump, 8'ss x 3'as x 6' x 6' tapering to 8"x8" discharge spout, drive with gr, wired connection & motor control                           | Inside   | In Shell Line |
| 196                              | (1) | 2017 Unk Vibrating conveyor, 16" x 12' (routes back to other sorter), wired connection & motor control  | Inside   | In Shell Line |
| 197                              | (1) | 2018 Satake Infrared sorter, m/n Evolution EVO MIR8, s/n 171132, platform, drive with gr, wired connection & motor control                                    | Inside   | In Shell Line |
| 198                              | (1) | 2017 Unk Vibrating conveyor, 1' x 8' (under sorter), wired connection & motor control   | Inside   | In Shell Line |
| 199                              | (1) | 2017 LMC Bucket elevator, m/n 3508, s/n 180000302, drawing 161-70-000061, 19"x25"x12'h, (2) discharge spouts, drive with gr, wired connection & motor control | Inside   | In Shell Line |
| 200                              | (1) | 2017 Beeler Industries Vibrating conveyor, 3' x 9', s/n 19379-404, wired connection & motor control   | Inside   | In Shell Line |
| 201                              | (1) | 2017 LMC Bucket elevator, m/n 3530, s/n 180000006, drawing 161-70-000061, 19"x25"x12'h, discharge chute, drive with gr, wired connection & motor control      | Inside   | In Shell Line |
| 202                              | (1) | 2017 Unk Bulk storage bin, 6' x 12' x 10'h overall, 2 compartments, ms,   | Inside   | In Shell Line |
| 203                              | (2) | 2017 Beeler Industries Vibrating conveyor, 2' x 7', ss trough, ms, s/n 19379-407 & ?, wired connection & motor control  | Inside   | In Shell Line |
| 204                              | (2) | 2017 Unk Inspection table belt conveyor, 32" x 7', discharge chute, HD plugged  | Inside   | In Shell Line |
| 205                              | (1) | 2017 Cableway Lot of cableway conveyor, to storage silo, mechanical connections, drive with gr, wired connection & motor control                              | Inside   | In Shell Line |
| 206                              | (1) | 2017 Steel Structure Bin, 9'ss x 9'as x 12' x 24' tapering to 1' square, 2 compartments, 18 ton maximum capacity, s/n 3386,                                   | Inside   | In Shell Line |
| 207                              | (1) | 2017 Unk Roller conveyor, 5' x 35', 2 1/2" powered rollers, (2) scaledrive with gr, wired connection & motor control  | Inside   | In Shell Line |
| 208                              | (1) | 2017 Unk Belt conveyor, 18" x 30', drive with gr, wired connection & motor control  | Inside   | In Shell Line |
| 209                              | (1) | 2017 Deamco Overlapping lift bucket, m/n BEM-24P-SW-XI, s/n 21417BEM-01, 24" x 30" x 30'h, drive with gr, wired connection & motor control                    | Inside   | In Shell Line |
| 210                              | (1) | 2017 Unk Bin, 12' x 12' x 4'ss x 7'as x 12' x 12' tapering to 1' discharge, (2) discharge spouts, with 12' x 10' x 30' platform, mechanical connections       | Inside   | In Shell Line |
| 211                              | (1) | 2023 Statec Bagging System, m/n SBNW, s/n A12517, order 30715, drive with gr, wired connection & motor control  | Inside   | In Shell Line |
| 212                              | (1) | 2023 Statec Bagging System, m/n Certopac, with 1' x 9' belt conveyor, Fischbein m/n 200 stitcher, drive with gr, wired connection & motor control             | Inside   | In Shell Line |

| #                                | Qty  | Item/Description   | Location | Department    |
|----------------------------------|------|--|----------|---------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |      |  |          |               |
| 213                              | (1)  | 2018 Unk Inclined belt conveyor, 32" x 72", drive with gr, wired connection & motor control  | Inside   | In Shell Line |
| 214                              | (2)  | 2018 Unk Inclined belt conveyor, 24" x 48", drive with gr, wired connection & motor control  | Inside   | In Shell Line |
| 215                              | (1)  | 2018 Unk Roller conveyor, 24" x 48", drive with gr, wired connection & motor control   | Inside   | In Shell Line |
| 216                              | (1)  | 2018 Okura Robot palletizer, m/n A1600V, s/n VR465, order 6U8256, drive with gr, wired connection & motor control  | Inside   | In Shell Line |
| 217                              | (1)  | 2018 Unk Setup table   | Inside   | In Shell Line |
| 218                              | (1)  | 2018 Columbia Squeezer, s/n 19311-02-19-18-01, wired connection & motor control  | Inside   | In Shell Line |
| 219                              | (1)  | 2017 Hytrol Roller conveyor, 5' x 70", 2 1/2" powered rollers, drive with gr, wired connection & motor control   | Inside   | In Shell Line |
| 220                              | (1)  | Kernel Processing Line, primarily constructed in 2018, with a productive capacity of 10,000 lbs/hour, consisting of:   |          |               |
| 221                              | (1)  | 2018 Steel Structure Silo, 15'ss x 9'as x 12' x 12' tapering to 1' sq discharge, ms, 24 ton max capacity, mechanical connections   | Inside   | Shelled Line  |
| 222                              | (1)  | 2018 Beeler Industries Vibrating conveyor, 2' x 10', ss trough, ms, s/n 19379-504-0, wired connection & motor control  | Inside   | Shelled Line  |
| 223                              | (1)  | 2018 Unk Tote dump, 6' x 6' x 12', ss with ms frame, drive with gr, wired connection & motor control   | Inside   | Shelled Line  |
| 224                              | (1)  | 2018 Beeler Industries Vibrating conveyor, 1'6" x 7', ss trough, ms, s/n 19379-567, wired connection & motor control   | Inside   | Shelled Line  |
| 225                              | (1)  | 2018 Unk Overlapping lift bucket, 18" x 26" x 24'h, drive with gr, wired connection & motor control  | Inside   | Shelled Line  |
| 226                              | (1)  | 2018 Unk Bin, 1'ss x 3'as x 3' x 3' tapering to 1' dia discharge,  | Inside   | Shelled Line  |
| 227                              | (1)  | 2018 Tomra Shaker, 2' x 6', ss, type 3180 074 01, s/n N-F-430203-17-3822, drive with gr, wired connection & motor control  | Inside   | Shelled Line  |
| 228                              | (1)  | 2018 Tomra Sorter, type IXUS Bulk 800, s/n N-F-430203-17-3822, with Lauda cooler, catalog E6004431-MB30, s/n 68777, drive with gr, wired connection & motor control  | Inside   | Shelled Line  |
| 229                              | (1)  | 2018 LMC Bucket elevator, m/n 3514, s/n 180000007, drawing 162-70-000113, 20" x 25" x 25h, (2) discharge chutes, drive with gr, wired connection & motor control   | Inside   | Shelled Line  |
| 230                              | (2)  | 2018 Unk Sizing/shelling stations, includes receiving hopper, (4) discharge chutes, 6 drops to shellers with magnetic feeders, (8) rolls, 6" dia x 10', overall dimensions 18' x 6' x 8' to 20', mechanical, drive with gr, wired connection & motor control | Inside   | Shelled Line  |
| 231                              | (12) | 2018 Wurdinger Sheller, 3/4hp, s/n 8433 & 8439wired connection & motor control   | Inside   | Shelled Line  |
| 232                              |      | Line 1 s/ns - 8435, 8576, 8445, 8580, 8574, 8575   |          |               |
| 233                              |      | Line 2 s/ns - 8578, 8577, 8438, 8434, 8436, 8432   |          |               |

| #                                | Qty | Item/Description   | Location | Department   |
|----------------------------------|-----|--|----------|--------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |     |  |          |              |
| 234                              | (2) | 2018 Beeler Industries Vibrating conveyor, 1'6" x 24', ss, ms frame, drive with gr, wired connection & motor control   | Inside   | Shelled Line |
| 235                              | (2) | 2018 Deamco Overlapping lift bucket, m/n BEM-12P-SW-X1, s/n 21420BEM-01 & 21419BEM-01, 18" x 25" x 20', drive with gr, wired connection & motor control  | Inside   | Shelled Line |
| 236                              | (1) | 2018 LMC Sorter 1, m/n 6008, s/n 180000010, drawing 773-70-000006, with (4) dropouts on side & final drop on end, (2) Donaldson Torit auger units, drive with gr, wired connection & motor control | Inside   | Shelled Line |
| 237                              | (1) | 2018 LMC Sorter 2, m/n 6008, s/n 180000009, drawing 773-70-000005, with (4) dropouts on side & final drop on end, (2) Donaldson Torit auger units, drive with gr, wired connection & motor control | Inside   | Shelled Line |
| 238                              | (4) | 2018 Beeler Industries Vibrating conveyor, 8" x 18', ss, ms frame, drive with gr, wired connection & motor control   | Inside   | Shelled Line |
| 239                              | (1) | 2018 Unk Pieces airleg, m/n 26-8-0, s/n 17-1261, mechanical connections  | Inside   | Shelled Line |
| 240                              | (1) | 2018 Unk Small airleg, m/n 26-8-0, s/n 17-1260, mechanical connections   | Inside   | Shelled Line |
| 241                              | (1) | 2018 Unk Mids airleg, m/n 32-100, s/n 17-1262, mechanical connections  | Inside   | Shelled Line |
| 242                              | (1) | 2018 Unk Large airleg, m/n 32-100, s/n 17-1263, mechanical connections   | Inside   | Shelled Line |
| 243                              | (2) | 2018 Wurdinger Sheller, 3/4hp, s/n 8433 & 8439, wired connection & motor control   | Inside   | Shelled Line |
| 244                              | (2) | 2018 Beeler Industries Vibrating conveyor, 1' x 30', drive with gr, wired connection & motor control   | Inside   | Shelled Line |
| 245                              | (2) | 2018 Beeler Industries Vibrating conveyor, 1' x 5', s/n 19379-531 & 19379-551, drive with gr, wired connection & motor control   | Inside   | Shelled Line |
| 246                              | (1) | 2018 LMC Cracker, m/n CR30, s/n 180000008, drawing 142-70-000008, with piping, mechanical connections, drive with gr, wired connection & motor control   | Inside   | Shelled Line |
| 247                              | (1) | 2018 Unk Discharge spout,  | Inside   | Shelled Line |
| 248                              | (1) | 2018 LMC Sorter, 2 sections, 8'x18' overall size, mechanical connections, drive with gr, wired connection & motor control  | Inside   | Shelled Line |
| 249                              | (6) | 2018 Unk Tube conveyors, conveys to different bins, mechanical connections   | Inside   | Shelled Line |
| 250                              | (1) | 2018 Unk Finish bin, 8' x 50' x 22' overall, 6 sections, 10'ss x 6' as tapering to 1' square, including mag feeders on each section, mechanical connections, wired connection & motor control      | Inside   | Shelled Line |
| 251                              | (1) | 2018 Unk Vibrating conveyor, 2' x 48', drive with gr, wired connection & motor control   | Inside   | Shelled Line |
| 252                              | (1) | 2018 Deamco Overlapping lift bucket, drive with gr, wired connection & motor control   | Inside   | Shelled Line |
| 253                              | (1) | 2018 Unk Bulk load-out station, 6' x 6' x 18', ms, with 4' DRO scale platform, plugged   | Inside   | Shelled Line |
| 254                              | (5) | 2019 Holland Custom Fabricator SS carts,   | Inside   | Throughout   |

| #                                | Qty    | Item/Description  | Location       | Department |
|----------------------------------|--------|---|----------------|------------|
| <b>MACHINERY &amp; EQUIPMENT</b> |        |   |                |            |
| 255                              |        | Nut Bins (All bins are constructed of plastic)              |                |            |
| 256                              | (93)   | Year 2016 (Acquired Used) (\$382.90/bin avg. price)         | Inside/Outside | Various    |
| 257                              | (48)   | Year 2017 (Acquired New) (\$523.00/bin avg. price)          | Inside/Outside | Various    |
| 258                              |        | Nut Bins (All bins are constructed of wood)                 |                |            |
| 259                              | (1997) | Year 2013 (Acquired New) (\$147.10/bin avg. price)          | Inside/Outside | Various    |
| 260                              | (499)  | Year 2014 (Acquired New) (\$168.87/bin avg. price)          | Inside/Outside | Various    |
| 261                              | (750)  | Year 2016 (Acquired Used) (\$76.27/bin avg. price)          | Inside/Outside | Various    |
| 262                              | (1000) | Year 2016 (Assuming Acquired Used) (\$55.85/bin avg. price) | Inside/Outside | Various    |
| 263                              | (500)  | Year 2017 (Acquired New) (\$81.11/bin avg. price)           | Inside/Outside | Various    |
| 264                              | (1456) | Year 2019 (Acquired New) (\$90.28/bin avg. price)           | Inside/Outside | Various    |
| 265                              | (4128) | Year 2020 (Acquired New) (\$83.00/bin avg. price)           | Inside/Outside | Various    |