

6-30

Secretary of State
Certificate and Order for Filing
PERMANENT ADMINISTRATIVE RULES

Upon filing 80

I certify that the attached copies* are true, full and correct copies of the PERMANENT Rule(s) adopted on July 1, 2008 by the
Date prior to or same as filing date

Department of Consumer and Business Services, Building Codes Division 918
Agency and Division Administrative Rules Chapter Number

Shauna M. Parker PO Box 14470 Salem, OR 97309 (503) 373-7438
Rules Coordinator Address Telephone

to become effective [July 1, 2008]. Rulemaking Notice was published in the [May 2008] Oregon Bulletin.**
Date upon filing or later Month and Year

RULE CAPTION

Revises continuing education requirements for licenses in the boiler and pressure vessel program.

Not more than 15 words that reasonably identifies the subject matter of the agency's intended action.

RULEMAKING ACTION

List each rule number separately (000-000-0000)

Secure approval of new rule numbers (Adopted or Renumbered rules) with the Administrative Rules Unit prior to filing.


ADOPT:

AMEND: OAR 918-030-0120, 918-030-0125, 918-030-0130, & 918-030-0135

REPEAL:

RENUMBER:

AMEND & RENUMBER:



Stat. Auth.: ORS 455.117

Other Auth.:

Stats. Implemented: ORS 455.117

RULE SUMMARY

The rule revises continuing education requirements for license holders in the boiler and pressure vessel program. The rule sets requirements for the following license categories: Class 2 is set at eight hours of continuing education during each three-year cycle; Class 3, Class 4, Class 5, Class 5A, and Class 5B are set at twenty-four (24) hours of continuing education during each three-year cycle.

Authorized Signer

Mark Long

Printed name

Date

6/30/2008

*With this original, file one photocopy of certificate, one paper copy of rules listed in Rulemaking Actions, and electronic copy of rules. **The Oregon Bulletin is published the 1st of each month and updates rules found in the OAR Compilation. For publication in Bulletin, rule and notice filings must be submitted by 5:00 pm on the 15th day of the preceding month unless this deadline falls on a weekend or legal holiday, when filings are accepted until 5:00 pm on the preceding workday.

ARC 930-2005

BCD 10-2008

918-030-0120**Licenses Requiring 24 Hours of Continuing Education**

(1) During each three-year license cycle, the following license holders are required to complete 24 hours of approved continuing education, including one code-change course if required by the appropriate board:

- (a) General Supervising Electrician;
- (b) Limited Supervising Electrician;
- (c) General Journeyman Electrician;
- (d) Journeyman Plumber;
- (e) Class 3 Boiler Building Service Mechanic;
- (f) Class 4 Boiler Boilermaker;
- (g) Class 5 Boiler Pressure-Piping Mechanic;
- (h) Class 5A Boiler Process Piping Mechanic; and,
- (i) Class 5B Boiler Refrigeration Piping Mechanic.

Stat. Auth.: ORS 455.117

Stat. Implemented: ORS 455.117

Hist.: BCD 16-2006(Temp), f. 6-30-06, cert. ef. 7-1-06 thru 12-28-06; BCD 13-2006, f. 9-29-06, cert. ef. 10-1-06

918-030-0125**Licenses Requiring 16 Hours of Continuing Education**

During each three-year license cycle, the following license holders are required to complete 16 hours of approved continuing education, including one code-change course if required by the appropriate board:

- (1) Limited Residential Electrician
- (2) Limited Journeyman Manufacturing Plant Electrician

Stat. Auth.: ORS 455.117

Stat. Implemented: ORS 455.117

Hist.: BCD 16-2006(Temp), f. 6-30-06, cert. ef. 7-1-06 thru 12-28-06; BCD 13-2006, f. 9-29-06, cert. ef. 10-1-06

918-030-0130**Licenses Requiring 8 Hours of Continuing Education**

During each three-year license cycle, the following license holders are required to complete 8 hours of approved continuing education, including one code-change course if required by the appropriate board:

- (1) Limited Maintenance Electrician;
- (2) Class A Limited Energy Technician;
- (3) Class B Limited Energy Technician; and,
- (4) Solar Heating and cooling System Plumbing Installer; and,
- (5) Class 2 Boiler Pressure Vessel Installer.

Stat. Auth.: ORS 455.117

Stat. Implemented: ORS 455.117

Hist.: BCD 16-2006(Temp), f. 6-30-06, cert. ef. 7-1-06 thru 12-28-06; BCD 13-2006, f. 9-29-06, cert. ef. 10-1-06

918-030-0135

Licenses Requiring 4 Hours of Continuing Education

During each three-year license cycle, the following license holders are required to complete 4 hours of approved continuing education, including one code-change course if required by the appropriate board:

- (1) Limited Renewable Energy Technician; and
- (2) Limited Journeyman Sign Electrician.

Stat. Auth.: ORS 455.117

Stat. Implemented: ORS 455.117

Hist.: BCD 16-2006(Temp), f. 6-30-06, cert. ef. 7-1-06 thru 12-28-06; BCD 13-2006, f. 9-29-06, cert. ef. 10-1-06